



PUMA CRANE

TURKEY

PMA550(20T)

KNUCKLE BOOM CRANE

| MODELS | LIFTING MOMENT | MAX VERTICAL REACH | SLEWING ANGLE | SLEWING TIME | MAX WORKING HEEL | WORKING PRESSURE | CRANE WEIGHT WITHOUT STABILIZERS | WEIGHT OF STABILIZERS | OIL TANK CAPACITY | OIL FLOW | DIMENSIONS |
|--------------|----------------|--------------------|---------------|--------------|------------------|------------------|----------------------------------|-----------------------|-------------------|----------|----------------|
| | tm | m | ° | s/180° | ° | bar | kg | kg | l | l/min | mm B x h x S |
| PMA 550-B5-1 | 55 | 15,60 | 360 | 34 | 5 | 305 | 5650 | 560 Extra | 150 | 50 | 2505x2450x1650 |



PUMA CRANE

5549 sk no 61/1/3 Yedieylül Mah
Torbalı/İZMİR

Telephone: + (90) 0 232 461 10 63

Gsm + (90) 0 532 672 65 86

otovinc@gmail.com

www.pumacrane.com

info@ozuyan.com





PUMA CRANE

www.pumacrane.com



PMA550(20T)

KNUCKLE BOOM CRANE



| | |
|--------------|-------------|
| A | 2455 |
| B | 2460 |
| C | 1462 |
| D | 875 |
| E | 95 |
| F | 2263 |
| G | 2503 |
| H | 5050 |
| I | 1285 |
| EXTRA | 7400 |



PMA550(20T)

KNUCKLE BOOM CRANE

