



Fabrika:Yeditepe01 mah 5549 sk 2. blok no:81/1/3
 Torbalı/İZMİR
 Tel:+90(0)232 461 10 63
 Whatsapp:+90(0)532 672 65 86
 Mail:otovinc@gmail.com pumavinc@gmail.com
 Web:www.pumacrane.com

Torbalı VD:7160470795
HIDROLİK İŞ MAK TAAHHÜT VE SAN.TİC.A.Ş
PMA 170-B3 FOLDING BOOM MARINE CRANE

Technical Data







Gross Lifting Moment	17T/MT
Max Hydraulic Horizontal Outreach	10mt
Slewing Angle	360°
Max Rotational Torque	15,24kNm
Recommended Volume of Oil in Tank	150Lt
Max Working Oil Pressure	230bar
Recommended Pump Delivery	30L/min
Electrical Power Requirement	17,5kw
Weight of Standard Crane	2580kg

Mounting Base Installation

Quantity of Bolts Required	25
Thread Pitch and Class	m24 class 10.9

Standard Features

- Built according to DIN 15018-H1-B3 standards.
 - Crane structure is sandblasted and metallized.
 - Double coat of primer and two layers of paint.
 - Special cylinders with Ni-Cr piston rods for marine environments.
 - Female fittings in stainless steel, and male fittings in carbon steel.
 - Stainless steel hydraulic installation pipes.
 - Hoses with rubber "type A" double coat.
 - Wheel-rack slewing system, via cylinders, with bronze bushings.
 - Safety valves on the cylinders.
 - Hydraulic load limiter.
 - Emergency stop button.
- ### Optional Features
- Hydraulic winch
 - Manual extensions
 - Remote control
 - Auxiliary hydraulic intakes



PUMA CRANE

TURKEY

LÖZÜYAN

Torbalı VD:7160470795

HİDROLİK İŞ MAK TAAHHÜT VE SAN.TİC.A.Ş

Fabrika:Yedieylül mah 5549 sk 2. blok no:61/1/3

Torbalı/İZMİR




Tel:+90(0)232 461 10 63

Whatsapp:+90(0)532 672 65 86


Mail:otovinc@gmail.com pumavinc@gmail.com

Web:www.pumacrane.com

PMA 170-B3 FOLDING BOOM MARINE CRANE



Steel parts assembly



Steel parts assembly

